

# Physical Therapy Prescription

<b>Olecranon Fracture ORIF REHABILITATION PROTOCOL</b>			
<b>TIME PERIOD</b>	<b>RANGE OF MOTION</b>	<b>SLING &amp; Weight bearing</b>	<b>EXERCISES</b>
<b>0-1 weeks</b>	None	Wear for comfort <b>No Weight Bearing</b>	Wrist and hand ROM. Pendulums for shoulder.
<b>1-4 weeks</b>	<b>Limit flexion to 90 degrees</b>	Sling unless performing range of motion exercises <b>No Weight Bearing</b>	Active and active assist range of motion with gravity assisted extension of elbow  Ok to move shoulder freely
<b>4-8 weeks</b>	Full range of motion.	No Sling <b>No lifting more than a coffee cup</b>	Active and active assist range of motion with gravity assisted extension of elbow
<b>8-12 weeks</b>	Full range of motion	<b>No lifting more than 20 pounds</b>	Shoulder, elbow, wrist, hand strengthening
<b>12+ weeks</b>	No Restrictions	No Restrictions	No Restrictions

**\*\*\*Begin physical therapy at 1 week post op (after your first post-operative appointment)**

<p>Dane Todd, MD          Questions please call: # 402-488-3322          Fax: 402-488-3336</p> <p>Patient Name: _____          Surgery Date: _____</p> <p>Diagnosis: status post olecranon fracture ORIF          Side (Circled):   Right      Left</p> <p>Physical therapy to evaluate and treat for post op olecranon fracture ORIF using the above protocol. 1-2x per week for 10 weeks. Modalities PRN</p> <p>Notes: _____</p> <p>MD signature: _____</p>
---